WINGROVE PRIMARY SCHOOL

PROGRESSION IN CALCULATIONS

Addition

Objective and Strategies	Concrete	Pictorial	Abstract
Combining two parts to make a whole: part- whole model (EYFS and Y1)	Use cubes to add two numbers together as a group or in a bar.	3 yort 2 part 2 part 2 part 2 b b b b b b b b b b b b b	4 + 3 = 7 $10 = 6 + 4$ 3 Use the part-part whole diagram as
· · · /	Numicon can also be used for this.	8 1	shown above to move into the abstract.
Starting at the bigger number and		12 + 5 = 17	5 + 12 = 17
counting on (Y1)	Start with the larger number on the bead string and then count on to the smaller number 1 by 1 to find the answer.	10 11 12 13 14 15 16 17 18 19 20	
	This could also be modelled with counters on a number track. Or with multilink towers. (Number tracks used in number work and play in EYFS is preparation to support this learning)	Start at the larger number on the number line and count on in ones or in one jump to find the answer.	Place the larger number in your head and count on the smaller number to find your answer.

Regrouping to make 10. (Y1)		Use pictures or a number line. Regroup or partition the smaller number to make 10.	7 + 4= 11 If I am at seven, how many more do I need to make 10. How many more
(EYFS use ten-frames in number work and play as preparation)	6 + 5 = 11 Start with the bigger number and use the smaller number to make 10. Tens frames are ideal. Counters on Numicon 10-pieces also show this.	Use a Number track rather than a number line in early stages. This number line is one example of a pictorial representation, it is not compulsory. 9 + 5 = 14	do I add on now?
Adding three single digits (Y2)	 4 + 7 + 6= 17 Put 4 and 6 together to make 10. Add on 7. Second and the second and t	Add together three groups of objects. Draw a picture to recombine the groups to make 10.	4 + 7 + 6 = 10 + 7 $= 17$ Combine the two numbers that make 10 and then add on the remainder.
Column method- no regrouping (Y2)	Add together the ones first then add the tens. Use the Base 10 blocks first before moving onto place value counters. 24 + 15 = 44 + 15 = 44 + 15 = Ensure children understand the relative size of numbers before introducing place value counters.	After practically using the base 10 blocks and place value counters, children can draw the counters to help them to solve additions.	$\frac{Calculations}{21 + 42 =}$ $\frac{21}{42}$

Column method- regrouping			Start by partitioning the numbers before moving on to clearly show the exchange below the addition. The expanded
Y3 – up to 3 digit numbers	exchang e 10 ones for one 10.		form supports reasoning and depth of understanding of the methods. They can be modelled side by side.
Y4 – up to 4 digit numbers	Image: Constraint of the second se	7 1 5 1	$ \begin{array}{r} 20 + 5 \\ \underline{40 + 8} \\ 60 + 13 = 73 \end{array} $
Y5 – numbers with more than 4 digits	Add up the rest of the columns, exchanging the 10 counters from one column for the next place value column until every column has been added.	Pictorial representations can also be done with dienes.	As the children $\frac{536}{485}$ move on, $\frac{621}{11}$ decimals with
and decimals	This can also be done with Base 10 to help children clearly see that 10 ones equal 1 ten and 10 tens equal 100.	Use Base-10 until children have a sound grasp of the relative size between Th/H/T/U	the same number of decimal places and different. Money can be used here. 72.8
Y6 – all of the above and	As children move on to decimals, money and decimal place value counters can be used to support learning.		$ \frac{+54.6}{127.4} + \frac{\pounds 2 \ 3 \ . \ 5 \ 9}{\pounds \ 7 \ . \ 5 \ 5} + \frac{\pounds \ 3 \ 1 \ . \ 1 \ 4}{1 \ 1} $
decimals with different decimal places			$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

Subtraction

Objective and Strategies	Concrete	Pictorial	Abstract
Taking away ones (EYFS with objects and pictures) (Y1)	Use physical objects, counters, cubes etc to show how objects can be taken away. 6-2=4	Cross out drawn objects to show what has been taken away. $\begin{array}{c} & & & & & \\ & & & & \\ & & & \\ &$	18 -3= 15 8 - 2 = 6
Counting back (Y1) (Y2)	Make the larger number in your subtraction. Move the beads along your bead string as you count backwards in ones. 13 – 4 Use counters and move them away from the group as you take them away counting backwards as you go. Or lay them on a number track and remove them as you count back.	Count back on a number line or number track 9 10 11 12 13 14 15 Start at the bigger number and count back the smaller number showing the jumps on the number line. -10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	Put 13 in your head, count back 4. What number are you at? Use your fingers to help.

Find the difference (Y1) (Y2)	Compare amounts and objects to find the difference.	Use 2 number lines to illustrate finding the difference e.g. 10 – 6: 0 10 0 6 Comparison Bar Models	Hannah has 23 sandwiches, Helen has 15 sandwiches. Find the difference between the number of sandwiches.
	Use basic bar models with items to find the difference Numicon can also be used to find the difference by placing the pieces on top of each other.	Draw bars to find the difference between 2 numbers.	
Part Part Whole Model (Y1) (Y2)	Link to addition- use the part whole model to help explain the inverse between addition and subtraction. If 10 is the whole and 6 is one of the parts. What is the other part? 10 - 6 = Also use Cuisenaire to represent fact families in the bar model.	Use a pictorial representation of objects (or resources to represent the objects) to show the part part whole model.	5 10 Move to using numbers within the part whole model.
Make 10 (Y1) (Y2)	14 – 9 =	13 - 7 = 6 3 4 5 + 2 + 3 + 4 + 5 + 5 + 5 + 5 + 5 + 5 + 5 + 5 + 5	16 – 8= How many do we take off to reach the next 10? How many do we have left to take off?

Column method without regrouping	Tens Ones Use Base 10 to make the bigger number then take the smaller number away.	Calculations Calculations Calculations Calculations Calculations Draw the Base 10 or place value counters alongside the written calculation to help to show working.	47 - 24 = 23 $-\frac{40 + 7}{20 + 4}$ -20 + 3
(Y2)	Show how you partition numbers to subtract. Again make the larger number first.	Image: Constraint of the second se	This will lead to a clear written column subtraction. 32 -12 20
Column method with regrouping	Use Base 10 to start with before moving on to place value counters. Start with one exchange before moving onto subtractions with 2 exchanges. Make the larger number with the place value counters	Fundreds Tens Ones Image: Second	$836 - 254 = 582$ $\frac{360}{130} + \frac{3}{130} + \frac{3}{130$
Y3 – up to 3 digit numbers Y4 – up to 4 digit numbers	Image: Stage of the stage	- 2 7 5 3 5 1 42~18=24 Step 1 Step 2 10 10 1111 5 1 When confident, children can find their own way to record the exchange/regrouping. Step 2 10 1111 10 1111 1111 10 1111 Step 2 10 1111 Step 2 10 1111 Step 3 11 Step 4 Step 3	Children can start their formal written method by partitioning the number into clear place value columns. (EXPANDED METHOD FIRST) 728-582=146 $\stackrel{H}{\sim}7$ $\stackrel{V}{\sim}8$ 582
Y5 – numbers with more	Image: Construction of the second state of the second s	and knows when to exchange/regroup.	Moving forward the children use a more compact method. (EXPANDED AND COMPACT CAN BE



Multiplication

Objective and Strategies	Concrete	Pictorial	Abstract	
Doubling	Use practical activities to show how to double a number.	Draw pictures to show how to double a number.	16	
(EYFS - Can be introduced		Double 4 is 8	10 6	
practically especially with	double 4 is 8		■ x2 ■ x2 20 12 Partition a number and then	
dot formation, dice games,	$4 \times 2 = 8$		double each part before recombining it back together.	
dominoes.) (Y1) (Y2)	This can also be done with Numicon reflections in mirrors, dominoes, dice	Can also be represented in a part/part/whole model.		
Counting in multiples		Or in a bar model alongside Cuisenaire or Multilink.	Count in multiples of a number aloud.	
(Y1)		Lind Carl Sand Sand Sand	Write sequences with multiples of numbers.	
(Y2) (Y3)		0 5 10 15 20 25 30	2, 4, 6, 8, 10 5, 10, 15, 20, 25 , 30	
		Use a number line or pictures to continue support in counting in multiples.	-, -, -,,,	
	Count in multiples supported by concrete objects in equal groups. Numicon and Cuisenaire can support this.			

Repeated addition (Y2) (Y3)	3 + 3 + 3 Image: Constraint of the second secon	There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 3 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 3 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 3 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 3 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 3 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 3 star biscuits on. How many biscuits are there? There are 3 plates. Each plate has 3 star biscuits on. How many biscuits are there? There are 3 plates. Each plates are 3 star biscuits on. How many biscuits are 4 star biscuits a	Write addition sentences to describe objects and pictures. 2+2+2+2+2=10
Arrays- showing commutative multiplication (Y2) (Y3) (also continue to use arrays in Y4-6 to investigate factors, square numbers and prime numbers)	Create arrays using counters/ cubes to show multiplication sentences.	Draw arrays in different rotations to find commutative multiplication sentences.	Use an array to write multiplication sentences and reinforce repeated addition. 3 + 5 + 5 = 15 3 + 3 + 3 + 3 + 3 = 15 $5 \times 3 = 15$ $3 \times 5 = 15$

Grid Method

(Y3)





Move on to using Base 10 to move towards a more compact method.



Move on to place value counters to show how we are finding groups of a number.We are multiplying by 4 so we need 4 rows.



Fill each row with 126.



Add up each column, starting with the ones making any exchanges needed.



Children can represent the work they have done with place value counters in a way that they understand.

They can draw the counters, using colours to show different amounts or just use circles in the different columns to show their thinking as shown below.



Start with multiplying by one digit numbers and showing the clear addition alongside the grid.

×	30	5
7	210	35

210 + 35 = 245

Moving forward, multiply by a 2 digit number showing the different rows within the grid method.

	10	8
10	100	80
3	30	24

Х	1000	300	40	2
10	10000	3000	400	20
8	8000	2400	320	16

Column multiplication

Y4 – 2 and 3 digit numbers multiplied by a 1 digit number

Y5 – numbers with up to 4 digits multiplied by 1 or 2 digits

Y6 – numbers with up to 4 digits multiplied by a 2 digit number Children can continue to be supported by place value counters at the stage of multiplication.



It is important at this stage that they always multiply the ones first and note down their answer followed by the tens which they note below.

Any child who is not accessing abstract column method can be supported with dienes or PV counters as in the grid method model. Bar modelling and number lines can support learners when solving problems with multiplication alongside the formal written methods. Children need to understand multiplication as repeated addition of equal groups in order to use the bar model for multiplication problem solving.





Cuisenaire can be used to support understanding of bar models. Bar models and Cuisenaire representations of multiplication can also be applied to ratio and proportion in Y6.

Short multiplication in Y4 and Y5, moving to long					
multiplication	n in Y	5/6	•		
Start with ex				n,	
reminding th about lining			n		
numbers clea			olur	nns.	
lf it helps, ch	ildren	i ca	ın v	vrite	
out what the		sol	vin	g	
32 × 24			eir	to	
x 24 8 (4 x 2)		-	/er.	
120 (4 x 3	0)		-	-	
40 (20 x 600 (20 x					
768	50)		7	4	
	×		6	3	
			1	2	
		2	1	0	
		2	4	0	
This	+ 4	2	0	0	
moves to	4	0	D	2	
the more cor	npact	m	əth	od.	
2 3	1				
13	342	2			
x 18					
12/	12	n			
13420					
10736					
241	L 5 (6			
1	-	_			

Division

Objective and Strategies	Concrete	Pictorial	Abstract
Sharing objects into groups (EYFS – in number sessions and during play or snack time) (Y1)	Image: second	Children use pictures or shapes to share quantities. $ \begin{array}{c} $	Share 9 buns between three people. $9 \div 3 = 3$
	sharing.		
Division as grouping (Y1) (Y2) Division by grouping is the division model which matches ÷ through times tables	Divide quantities into equal groups. Use cubes, counters, objects or place value counters to aid understanding. This picture illustrates $10 \div 2$ as grouping. $0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\$	Use a number line to show jumps in groups. The number of jumps equals the number of groups. This can be shown using the Cuisenaire rods and the Numicon tracks. 0 1 2 3 4 5 6 7 8 9 10 11 12 4 3 3 3 3 This can also be drawn on a whole/part model. Or on a bar model: Think of the bar as a whole. Split it into the number of groups you are dividing by and work out how many would be within each group. $20 \div 5 = ?$ $5 \times ? = 20$	28 ÷ 7 = 4 Divide 28 into 7 groups. How many are in each group?

Division within arrays (Y2) (Y3) (Y4)	Link division to multiplication by creating an array and thinking about the number sentences that can be created. Eg $15 \div 3 = 5$ $5 \times 3 = 15$ $15 \div 5 = 3$ $3 \times 5 = 15$		Find the inverse of multiplication and division sentences by creating four linking number sentences (fact families). $7 \times 4 = 28$ $4 \times 7 = 28$ $28 \div 7 = 4$ $28 \div 4 = 7$
Division with a remainder (Y3) (Y4)	14 ÷ 3 = Divide objects between groups and see how much is left over	how many more you need to jump to find a remainder.	Complete written divisions and show the remainder using r. $29 \div 8 = 3$ REMAINDER 5 $\uparrow \uparrow \uparrow \uparrow$ dividend divisor quotient remainder

Short division

Y3 – 2 digits by 1 digit – taught through concrete and pictorial representations

Y4 – up to 3 digit numbers divided by a 1 digit number – taught through concrete and pictorial representations

Y5 – up to 4 digit numbers divided by a 1 digit number, and interpreting the remainder as appropriate for the context of the problem

Y6 – As Y5, also interpreting remainders as whole numbers/ fractions/round up or down



Use place value counters to divide using the bus stop method alongside



Start with the biggest place value, we are sharing 40 into three groups. We can put 1 ten in each group and we have 1 ten left over.



We exchange this ten for ten ones and then share the ones equally among the



We look how much in 1 group so the answer is 14.

Students can continue to use drawn diagrams with dots or circles to help them divide numbers into equal groups.



Use this only for small numbers.

Encourage them to move towards counting in multiples to divide more efficiently.

A pictorial representation would be children drawing the counters and the groups. As soon as they understand, move on to the abstract.

Begin with divisions that divide equally with no remainder. 8 4 8 Move onto divisions with a remainder. 2 8 6 5 3 2 4 Finally move into decimal places to divide the total accurately. 6 21 16 5 3 5 0