















WINGROVE PRIMARY SCHOOL




PROGRESSION IN CALCULATIONS – updated September 2018

Addition





Objective and Strategies	Concrete	Pictorial	Abstract
Combining two parts to make a whole: part-whole model	   Use cubes to add two numbers together as a group or in a bar.  Numicon can also be used for this.	   Use pictures to add two numbers together as a group or in a bar. 	4 + 3 = 7 10= 6 + 4  Use the part-part whole diagram as shown above to move into the abstract.
Starting at the bigger number and counting on	 Start with the larger number on the bead string and then count on to the smaller number 1 by 1 to find the answer. This could also be modelled with counters on a number track. Or with multilink towers. (Number tracks used in number work and play in EYFS is preparation to support this learning)	12 + 5 = 17  Start at the larger number on the number line and count on in ones or in one jump to find the answer.	5 + 12 = 17 Place the larger number in your head and count on the smaller number to find your answer.








<table>
<tr>
<td>Regrouping to make 10.</td>
<td>

6 + 5 = 11
Start with the bigger number and use the smaller number to make 10. Tens frames are ideal. Counters on Numicon 10-pieces also show this.</td>
<td>
3 + 9 =
Use pictures or a number line. Regroup or partition the smaller number to make 10.
Use a Number track rather than a number line in early stages. This number line is one example of a pictorial representation, it is not compulsory.
</td>
<td>7 + 4= 11












If I am at seven, how many more do I need to make 10. How many more do I add on now?</td>
</tr>
<tr>
<td>Adding three single digits</td>
<td>4 + 7 + 6= 17
Put 4 and 6 together to make 10. Add on 7.

Numicon and Ten frames also illustrate this effectively.
Following on from making 10, make 10 with 2 of the digits (if possible) then add on the third digit.</td>
<td>
Add together three groups of objects. Draw a picture to recombine the groups to make 10.</td>
<td>
Combine the two numbers that make 10 and then add on the remainder.</td>
</tr>
<tr>
<td>Column method- no regrouping</td>
<td>Add together the ones first then add the tens.
<u>Use the Base 10 blocks first before moving onto place value counters.</u>
24 + 15=

44 + 15 =

Ensure children understand the relative size of numbers before introducing place value counters.</td>
<td>After practically using the base 10 blocks and place value counters, children can draw the counters to help them to solve additions.
</td>
<td></td>
</tr>
</table>


Column method- regrouping	Make both numbers on a place value grid.  146 + 527 Add up the units and exchange 10 ones for one 10.  146 + 527 Add up the rest of the columns, exchanging the 10 counters from one column for the next place value column until every column has been added. **This can also be done with Base 10 to help children clearly see that 10 ones equal 1 ten and 10 tens equal 100.** As children move on to decimals, money and decimal place value counters can be used to support learning.	Children can draw a pictoral representation of the columns and place value counters to further support their learning and understanding.  Pictorial representations can also be done with dienes. **Use Base-10 until children have a sound grasp of the relative size between Th/H/T/U. Only then should children move onto place value counters.**	Start by partitioning the numbers before moving on to clearly show the exchange below the addition. The expanded form supports reasoning and depth of understanding of the methods. They can be modelled side by side. 20 + 5 40 + 8 60 + 13 = 73 536 85 1 1 621 As the children move on, introduce decimals with the same number of decimal places and different. Money can be used here. **Note that in regrouping we place the digits above the line at Wingrove ('on the doorstep').** 23.361 9. 080 59.770 2 2 2 93.111

Subtraction

Objective and Strategies	Concrete	Pictorial	Abstract
Taking away ones	Use physical objects, counters, cubes etc to show how objects can be taken away.  6 – 2 = 4  	Cross out drawn objects to show what has been taken away.  15 – 3 = 12	18 -3= 15 8 – 2 = 6
Counting back	Make the larger number in your subtraction. Move the beads along your bead string as you count backwards in ones. 13 – 4  Use counters and move them away from the group as you take them away counting backwards as you go. Or lay them on a number track and remove them as you count back. 	Count back on a number line or number track  Start at the bigger number and count back the smaller number showing the jumps on the number line.  This can progress all the way to counting back using two 2 digit numbers. This can be revisited regularly in KS2 in CLIC as part of fluency development.	Put 13 in your head, count back 4. What number are you at? Use your fingers to help.

Find the difference	Compare amounts and objects to find the difference.  Use cubes to build towers or make bars to find the difference Use basic bar models with items to find the difference Numicon can also be used to find the difference by placing the pieces on top of each other.	Use 2 number lines to illustrate finding the difference e.g. 10 – 6: 0 10 0 6 Draw bars to find the difference between 2 numbers.  	Hannah has 23 sandwiches, Helen has 15 sandwiches. Find the difference between the number of sandwiches.
Part Part Whole Model	 Link to addition- use the part whole model to help explain the inverse between addition and subtraction. If 10 is the whole and 6 is one of the parts. What is the other part? 10 - 6 = Also use Cuisenaire to represent fact families in the bar model.	Use a pictorial representation of objects (or resources to represent the objects) to show the part part whole model. 	 Move to using numbers within the part whole model.
Make 10	14 – 9 =  Make 14 on the ten frame. Take away the four first to make 10 then takeaway one more so you have taken away 5. You are left with the answer of 9.	 Start at 13. Take away 3 to reach 10. Then take away the remaining 4 so you have taken away 7 altogether. You have reached your answer. This can also be demonstrated with Numicon.	16 – 8= How many do we take off to reach the next 10? How many do we have left to take off?


Column method without regrouping	Use Base 10 to make the bigger number then take the smaller number away.  Show how you partition numbers to subtract. Again make the larger number first.	 Draw the Base 10 or place value counters alongside the written calculation to help to show working.  DIENES (BASE-10) SHOULD ALWAYS COME BEFORE PLACE VALUE COUNTERS.	 This will lead to a clear written column subtraction. 
Column method with regrouping	Use Base 10 to start with before moving on to place value counters. Start with one exchange before moving onto subtractions with 2 exchanges. Make the larger number with the place value counters   Start with the ones, can I take away 8 from 4 easily? I need to exchange one of my tens for ten ones.	 Draw the counters onto a place value grid and show what you have taken away by crossing the counters out as well as clearly showing the exchanges you make.  When confident, children can find their own way to record the exchange/regrouping. Just writing the numbers as shown here shows that the child understands the method and knows when to exchange/regroup.	 Children can start their formal written method by partitioning the number into clear place value columns. (EXPANDED METHOD FIRST)  Moving forward the children



Calculations

234
- 88


Now I can subtract my ones.



Calculations

234
- 88


Now look at the tens, can I take away 8 tens easily? I need to exchange one hundred for ten tens.



Calculations

234
- 88

Now I can take away eight tens and complete my subtraction



Calculations

234
- 88
146






Show children how the concrete method links to the written method alongside your working. Cross out the numbers when exchanging and show where we write our new amount.


use a more compact method. (EXPANDED AND COMPACT CAN BE MODELLED SIDE BY SIDE)

This will lead to an understanding of subtracting any number including decimals.

$$\begin{array}{r} {\scriptstyle 5\ 12\ \ \ 1} \\ 2\ \cancel{6}\ \cancel{3}\ .\ \mathbf{0} \\ -\quad 2\ 6\ .\ 5 \\ \hline 2\ 3\ 6\ .\ 5 \end{array}$$


Multiplication

Objective and Strategies	Concrete	Pictorial	Abstract
Doubling	Use practical activities to show how to double a number.  double 4 is 8 $4 \times 2 = 8$ This can also be done with Numicon reflections in mirrors, dominoes, dice…	Draw pictures to show how to double a number.  Can also be represented in a part/part/whole model. Or in a bar model alongside Cuisenaire or Multilink.	 Partition a number and then double each part before recombining it back together.
Counting in multiples	  Count in multiples supported by concrete objects in equal groups. Numicon and Cuisenaire can support this.	 Use a number line or pictures to continue support in counting in multiples.	Count in multiples of a number aloud. Write sequences with multiples of numbers. 2, 4, 6, 8, 10 5, 10, 15, 20, 25 , 30

<table>
<tr>
<td>Repeated addition</td>
<td>




Use different objects to add equal groups.</td>
<td>There are 3 plates. Each plate has 2 star biscuits on. How many biscuits are there?


2 add 2 add 2 equals 6



5 + 5 + 5 = 15</td>
<td>Write addition sentences to describe objects and pictures.

</td>
</tr>
<tr>
<td>Arrays- showing commutative multiplication

(Continue to use arrays in Y4-6 to investigate factors, square numbers and prime numbers)</td>
<td>Create arrays using counters/ cubes to show multiplication sentences.

</td>
<td>Draw arrays in different rotations to find commutative multiplication sentences.






Link arrays to area of rectangles.</td>
<td>Use an array to write multiplication sentences and reinforce repeated addition.

5 + 5 + 5 = 15
3 + 3 + 3 + 3 + 3 = 15
5 x 3 = 15
3 x 5 = 15</td>
</tr>
</table>


Grid Method

Show the link with arrays to first introduce the grid method.




4 rows of 10
4 rows of 3

Move on to using Base 10 to move towards a more compact method.




4 rows of 13


Move on to place value counters to show how we are finding groups of a number.We are multiplying by 4 so we need 4 rows.



Fill each row with 126.




Add up each column, starting with the ones making any exchanges needed.



Then you have your answer.

Children can represent the work they have done with place value counters in a way that they understand.

They can draw the counters, using colours to show different amounts or just use circles in the different columns to show their thinking as shown below.



Children work with dienes initially. They move to counters when they have secure understanding of the relative size and place value.

Start with multiplying by one digit numbers and showing the clear addition alongside the grid.

×	30	5
7	210	35

210 + 35 = 245


Moving forward, multiply by a 2 digit number showing the different rows within the grid method.

	10	8
10	100	80
3	30	24

X	1000	300	40	2
10	10000	3000	400	20
8	8000	2400	320	16

Column multiplication


Children can continue to be supported by place value counters at the stage of multiplication.




It is important at this stage that they always multiply the ones first and note down their answer followed by the tens which they note below.

Any child who is not accessing abstract column method can be supported with dienes or PV counters as in the grid method model.

Bar modelling and number lines can support learners when solving problems with multiplication alongside the formal written methods. Children need to understand multiplication as repeated addition of equal groups in order to use the bar model for multiplication problem solving.





Cuisenaire can be used to support understanding of bar models. Bar models and Cuisenaire representations of multiplication can also be applied to ratio and proportion in Y6.

Short multiplication in Y4 and Y5, moving to long multiplication in Y5/6.

Start with expanded form, reminding the children about lining up their numbers clearly in columns.

If it helps, children can write out what they are solving next to their answer.







```
  32
x 24
   8   (4 x 2)
 120   (4 x 30)
  40   (20 x 2)
 600   (20 x 30)
 768
```





```
   74
 x 63
  222
 210
 240
+420
 4662
```

This moves to the more compact method.


```
  2 3 1
  1342
x   18
-----
 13420
 10736
-----
 24156
-----
  1
```

Division


Objective and Strategies	Concrete	Pictorial	Abstract
Sharing objects into groups	   I have 10 cubes, can you share them equally in 2 groups? **This picture illustrates 10 ÷ 2 as sharing.**	Children use pictures or shapes to share quantities.  8 ÷ 2 = 4	Share 9 buns between three people. 9 ÷ 3 = 3
Division as grouping **Division by grouping is the division model which matches ÷ through times tables**	Divide quantities into equal groups. Use cubes, counters, objects or place value counters to aid understanding. **This picture illustrates 10 ÷ 2 as grouping.**   96 ÷ 3 = 32 	Use a number line to show jumps in groups. The number of jumps equals the number of groups. This can be shown using the Cuisenaire rods and the Numicon tracks.  This can also be drawn on a whole/part model. Or on a bar model: Think of the bar as a whole. Split it into the number of groups you are dividing by and work out how many would be within each group. 	28 ÷ 7 = 4 Divide 28 into 7 groups. How many are in each group?

Division within arrays	 Link division to multiplication by creating an array and thinking about the number sentences that can be created. Eg 15 ÷ 3 = 5 5 x 3 = 15 15 ÷ 5 = 3 3 x 5 = 15	 Draw an array and use lines to split the array into groups to make multiplication and division sentences.	Find the inverse of multiplication and division sentences by creating four linking number sentences (fact families). 7 x 4 = 28 4 x 7 = 28 28 ÷ 7 = 4 28 ÷ 4 = 7
Division with a remainder	14 ÷ 3 = Divide objects between groups and see how much is left over  **THIS IS THE SHARING MODEL OF 14 ÷ 3.**	Jump forward in equal jumps on a number line then see how many more you need to jump to find a remainder.  This model could also be represented using arrays. Draw dots and group them to divide an amount and clearly show a remainder.  **THIS IS THE GROUPING MODEL OF 14 ÷ 3.**	Complete written divisions and show the remainder using r. 

Short division




Use place value counters to divide using the bus stop method alongside




42 ÷ 3=

Start with the biggest place value, we are sharing 40 into three groups. We can put 1 ten in each group and we have 1 ten left over.




We exchange this ten for ten ones and then share the ones equally among the groups.



We look how much in 1 group so the answer is 14.

Students can continue to use drawn diagrams with dots or circles to help them divide numbers into equal groups.



Use this only for small numbers.

Encourage them to move towards counting in multiples to divide more efficiently.

A pictorial representation would be children drawing the counters and the groups. As soon as they understand, move on to the abstract.

Begin with divisions that divide equally with no remainder.

$$\begin{array}{r} 218 \\ 4\overline{)872} \\ 3 \end{array}$$


Move onto divisions with a remainder.

$$\begin{array}{r} 86\ r\ 2 \\ 5\overline{)432} \\ 3 \end{array}$$

Finally move into decimal places to divide the total accurately.

$$\begin{array}{r} 14.6 \\ 35\overline{)511.0} \\ 16\quad 21 \end{array}$$

Long Division



2544 ÷ 12

How many groups of 12 thousands do we have? None


Exchange 2 thousand for 20 hundreds.



$$12\overline{)2544}\quad 0$$


How many groups of 12 are in 25 hundreds? 2 groups. Circle them.

We have grouped 24 hundreds so can take them off and we are left with one.




$$\begin{array}{r} 02 \\ 12\overline{)2544} \\ 24 \\ \hline 1 \end{array}$$

Exchange the one hundred for ten tens so now we have 14 tens. How many groups of 12 are in 14? 1 remainder 2



$$\begin{array}{r} 021 \\ 12\overline{)2544} \\ 24 \\ \hline 14 \\ 12 \\ \hline 2 \end{array}$$

Exchange the two tens for twenty ones so now we have 24 ones. How many groups of 12 are in 24? 2



$$\begin{array}{r} 0212 \\ 12\overline{)2544} \\ 24 \\ \hline 14 \\ 12 \\ \hline 24 \\ 24 \\ \hline 0 \end{array}$$

Instead of using physical counters, students can draw the counters and circle the groups on a whiteboard or in their books.

Use this method to explain what is happening and as soon as they have understood what move on to the abstract method as this can be a time consuming process.

$$\begin{array}{r} 0318\ r5 \\ 20\overline{)6365} \\ -60\downarrow \\ \hline 36\downarrow \\ -20 \\ \hline 165\downarrow \\ -160 \\ \hline 5 \end{array}$$